



Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
		<u>REAR DOOR</u>		
-	10 121 730 01 02	Rear door, left	1	)with window )and fittings, )however, with-
1	10 121 730 02 02	Rear door, right	1	)out seal at out- )side and without )door lining
-	10 121 730 01 05	Rear door, shell, left	1	) )with hinge
2	10 121 730 02 05	Rear door, shell, right	1	)
-	10 120 730 01 43	Door brake with threaded plate (for rear door, left)	1	
3	10 120 730 02 43	Door brake with threaded plate (for rear door, right)	1	
-	10 120 730 01 37	Hinge, top, left	1	
4	10 120 730 02 37	Hinge, top, right	1	
-	10 120 733 01 41	Hinge plate, front, left	1	) )at pillar
5	10 120 733 02 41	Hinge plate, front, right	1	)
-	10 120 733 01 42	Hinge plate, rear, left	1	) )at door
6	10 120 733 02 42	Hinge plate, rear, right	1	)
7	10 120 723 00 82	Washer	4	
8	10 120 723 00 52	Hinge pin	2	
9	000 997 04 88	Grease fitting	2	

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	-	Countersunk screw AM 8x20 DIN 7987 (for hinge, top at rear door)	8	
-	10 120 730 01 38	Hinge, bottom, left	1	
10	10 120 730 02 38	Hinge, bottom, right	1	
-	10 120 733 01 44	Hinge plate, front, left	1	)
11	10 120 733 02 44	Hinge plate, front, right	1	) at pillar
-	10 120 733 01 45	Hinge plate, rear, left	1	)
12	10 120 733 02 45	Hinge plate, rear, right	1	) at door
13	10 120 723 00 82	Washer	4	
14	10 120 723 00 52	Hinge pin	2	
15	000 997 04 88	Grease fitting	2	
-	-	Countersunk screw AM 8x20 DIN 7987 (for hinge, bottom at rear door)	8	
-	10 120 730 13 35	Door lock, left (for left rear door)	1	
16	10 120 730 14 35	Door lock, right (for right rear door)	1	
-	10 180 730 07 35	Door lock, left	1	
17	10 180 730 08 35	Door lock, right	1	
18	10 180 723 00 56	Torsion spring (at locking lever, bottom)	2	

10/024

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
19	10 180 723 01 56	Torsion spring, left (at locking lever, top)	1	
19a	10 180 723 02 56	Torsion spring, right (at locking lever, top)	1	
20	10 180 723 00 78	Cup (for seating striker pin)	2	
21	000 766 00 35	Cap on plug	2	
21a	10 120 723 01 24	Cover plate (between lock and door lining)	2	
22	10 120 730 05 92	Pull rod (from inner handle to lock)	2	
23	120 987 01 37	Linkage guide (rubber)	2	
24	10 180 723 00 55	Locking spring	4	
-	10 120 730 05 93	Locking rod, left (for left rear door)	1	
25	10 120 730 06 93	Locking rod, right (for right rear door)	1	
26	10 180 733 00 18	Elbow lever	2	
-	-	Lens-hd. screw M 6x4 DIN 923	2	
27	10 180 733 00 13	Washer	2	
-	-	Toothed washer J 6, 4 DIN 6797	2	

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
28	120 987 01 37	Linkage guide	4	
29	10 180 723 00 55	Locking spring	6	
-	10 180 760 01 61	Inner handle, left (for right rear door)	1	
31	10 180 760 02 61	Inner handle, right (for left rear door)	1	
33	10 180 766 00 15	Pin (for handle at mounting plate)	2	
-	-	Lens-hd. screw AM 6x15 DIN 7985	6	) )for inner handle )at driver's
-	-	Toothed washer A 6, 4 DIN 6797	6	)door, interior )panel
34	000 984 17 55	Washer	6	)
35	10 180 760 00 81	Rosette (for inner handle)	2	
36	000 990 27 91	Cage clamp with spring stop nut	8	) ) )for door lock
-	-	Countersunk screw AM 6x15 DIN 7987	4	)at interior )panel
-	-	Lens-hd. countersunk screw AM 6x15 DIN 7988	4	) )
37	10 120 766 02 58	Button (for door lock)	2	
38	000 997 42 81	Grommet (for button at locking rod)	2	

10/024

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
40	10 180 766 03 02	Door handle, left, not lockable (for left rear door)	1	
41	10 180 766 01 27	Handle, cast part (without push button)	1	
42	10 120 766 01 15	Fixing pin (at handle, front)	1	
43	10 180 766 04 26	Push button	1	
44	10 180 766 01 31	Button base with hex. nut	1	
45	10 180 766 00 99	Ring	1	) ) for push button in handle, cast part ) )
46	10 180 766 00 29	Pressure spring, outside	1	
47	10 180 766 01 99	Grooved ring (spacer ring)	1	
48	10 180 766 00 22	Square snap ring	1	
-	-	Toothed washer J 6,4 DIN 6797 (under hex. nut, button base)	1	
49	10 180 766 04 02	Door handle, right, not lockable (for right rear door)	1	
50	10 180 766 02 27	Handle, cast part (without push button)	1	
51	10 120 766 01 15	Fixing pin (at handle, front)	1	
52	10 180 766 04 26	Push button	1	

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
53	10 180 766 01 31	Button base with hex. nut	1	
54	10 180 766 00 99	Ring	1	
55	10 180 766 00 29	Pressure spring, outside	1	
56	10 180 766 01 99	Grooved ring( spacer ring)	1	
57	10 180 766 00 22	Square snap ring	1	
-	-	Toothed washer J 6,4 DIN 6797 (under hex. nut, button base)	1	
58	000 990 01 48	Washer	2	) )for door handle )at rear door )
-	-	Lens-hd. screw AM 6x15 DIN 7985	2	
59	10 120 766 00 05	Rubber pad (for door handle, left and right, front)	2	
60	10 120 766 03 05	Rubber pad (for door handle, left, rear)	1	
61	10 120 766 04 05	Rubber pad (for door handle, right, rear)	1	
62	10 120 730 03 16	Door arrester	2	
63	10 120 730 04 16	Door arrester	2	
64	000 987 41 40	Rubber buffer	2	
65	120 991 05 05	Pin (for door arrester at hinge, top, pillar)	2	

10/024

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	-	Cotter pin 1, 5x10 DIN 94	2	)for door arrester ) at hinge, top, ) pillar
-	-	Lock washer B 5 DIN 137	2	
-	10 120 735 01 55	Window frame (for left rear door)	1	
66	10 120 735 02 55	Window frame (for right rear door)	1	
67	000 988 32 78	Fixing clamp	8	) for window ) frame at rear ) door
-	-	Countersunk screw S 2, 9x6, 5 DIN 7982	12	
73	000 985 07 30	Window guide rail, flexible 1760 mm long	2	
74	000 988 24 78	Fixing clamp (for window guide rail at rear door)	16	
75	10 120 735 00 65	Sealing rail, crank window outside and inside	4	state length when ordering
77	000 988 31 78	Fixing clamp (for sealing rail at rear door)	8	
-	10 120 735 09 02	Window lifter, left ) (by Messrs. Brose) )to be op- tionally )	1	)with swing ) joint )
78	10 120 735 10 02	Window lifter, right ) (by Messrs. Brose) )make Keiper	1	
-	10 120 735 11 02	Window lifter, left ) (by Messrs. Keiper) )to be op- tionally )	1	
-	10 120 735 12 02	Window lifter, right ) (by Messrs. Keiper) )used with make Brose	1	



Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
79	120 984 01 37	Sliding jaw	4	)
80	000 984 24 56	Washer	4	) for window
81	000 990 05 48	Lock washer	4	) lifting rail
-	-	Locking plate 7 DIN 6799	4	) at window
-	-	Lens-hd. screw AM 6x10 DIN 7985	8	) lifter
82	000 994 05 10	Washer	8	) for window
-	-	Lock washer B 6 DIN 127	8	) lifter at interior panel
83	10 120 768 02 02	Window crank	2	)
84	12 136 768 00 03	Rosette )	2	) for window crank
85	12 136 768 00 15	Pin )	2	)
86	10 120 720 00 45	Window lifting rail	2	
-	10 120 730 01 18	Crank window, left	1	
90	10 120 730 02 18	Crank window, right	1	
91	10 120 735 01 10	Glass pane, left and right	2	
92	10 120 725 00 80	Rubber mounting	4	
-	000 983 06 10	Underlayer (felt) 25x2x460 mm long	2	state length when ordering
-	-	Lens-hd. screw AM 6x18 DIN 7985	4	) for glass pane
-	-	Toothed washer A 6,4 DIN 6797	4	) at window
				) lifting rail

10/024

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	10 120 730 01 51	Window moulding (for rear door, left)	1	
93	10 120 730 02 51	Window moulding (for rear door, right)	1	
-	-	Lens-hd. screw S 3, 5x13 DIN 7981 chrom.-plat.	12	)
-	-	Lens-hd. screw S 3, 5x9, 5 DIN 7981 chrom.-plat.	2	) for window ) moulding at ) rear door
95	000 987 29 41	Rubber plate	14	)
-	10 121 730 01 80	Ornamental moulding (at ledge, left)	1	for left rear door
96	10 121 730 02 80	Ornamental moulding (at ledge, right)	1	for right rear door
97	000 988 59 78	Clip	10	)
-	-	Button-hd. screw AM 4x8 DIN 7986	4	) for ornamental ) moulding at ) ledge, rear
-	-	Lock washer A 4 DIN 137	4	) door
98	10 120 730 00 81	Ornamental moulding (at rear door, bottom)	2	
99	000 988 59 78	Clip (for ornamental moulding at rear door, bottom)	10	
-	-	Countersunk screw AM 8x20 DIN 7987 (for rear door, shell at center pillar, top and bottom)	16	

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	10 120 730 01 78	Seal (outside, at left rear door)	1	
107	10 120 730 02 78	Seal (outside, at right rear door)	1	
-	10 120 737 01 30	Filler, left	1	)pasted into )seal
108	10 120 737 02 30	Filler, right	1	
109	000 988 39 78	Fixing clamp (for seal at rear door)	14	
-	12 136 727 01 90	Damping (for door, outer panel)	2	
-	000 983 23 92	Intermediate layer waffle felt 15 mm thick 25 x 60	6	)state thickness, )length and )width when )ordering
-	000 983 22 92	Intermediate layer waffle felt 10 mm thick 25 x 60	4	
-	10 120 737 01 93	Draft excluder, rear, left	1	)state colour )and body No. )when ordering
110	10 120 737 02 93	Draft excluder, rear, right	1	
-	-	Nails A 14 x 10 N 46 (for draft excluder at roof frame, rear)	4	
-	10 121 730 01 70	Door lining (for rear door, left)	1	)state colour )and body No. )when ordering )
112	10 121 730 02 70	Door lining (for rear door, right)	1	
-	10 121 730 01 73	Reinforcement, left	1	

10/024

Table 40

## REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
113	10 121 730 02 73	Reinforcement, right	1	
114	136 984 01 60	Clip, lower part	20	
115	10 180 813 00 33	Base plate (for ash-tray)	2	
116	10 121 737 00 82	Ornamental moulding (for rear door, interior, top)	2	
117	000 988 41 78	Clip	14	)for ornamental )moulding, inter. )top at door lining
-	-	Washer A 3 DIN 9021	4	
118	10 121 737 01 82	Ornamental moulding (for rear door, interior, bottom)	2	
119	000 988 41 78	Clip	14	)for ornamental )moulding, inter. )bottom at door lining
-	-	Washer A 3 DIN 9021	4	
120	000 988 61 78	Clip, upper part	20	
-	-	Lens-hd. countersunk screw S 2, 9x13 DIN 7983, chrom. -plated	4	)for door )lining at rear )door
121	000 985 05 62	Countersunk washer	4	
-	10 180 720 07 04	Locking pin, left	1	
126	10 180 720 08 04	Locking pin, right	1	
127	10 180 723 02 99	Adjusting ring	2	
128	10 180 723 00 96	Rubber core	2	
-	-	Lens-hd. countersunk screw AM 5x15 DIN 7988	2	

Table 40

REAR DOOR

Group 73

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
-	-	Toothed washer V 5, 3 DIN 6798	2	
129	10 180 723 00 76	Washer	2	
130	10 120 723 02 05	Shim )	a.r.)	
-	10 120 723 03 05	Shim ) optional	a.r.)	for locking
-	10 120 723 04 05	Shim )	a.r.)	pin at rear
-	-	Countersunk AM 6x15 DIN 7987	8	part

10/024