



Table 30

EXHAUST MUFFLER AND LINES

Group 49

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
		<u>EXHAUST SYSTEM</u>		
1	121 490 04 20	Exhaust tube, front	1	
2	181 492 00 11	Flange	1	
3	121 490 08 35	Bracket, complete (for front exhaust tube)	1	
4	121 490 08 15	Exhaust line, rear (without rear muffler)	1	
5	121 491 05 01	Front muffler	1	
6	180 491 02 01	Rear muffler)	1	
) optional		
-	121 491 03 01	Rear muffler)	1	
7	120 491 02 40	Tube clamp	1)
)
8	-	Hex. -hd. screw M 8x80 DIN 931-8 G	1)
)
)for centre
9	-	Washer 8, 4 DIN 125	1) exhaust
)suspension
10	180 492 00 17	Fixing angle	1)
)
11	-	Lock washer B 8 DIN 127	1)
)
12	-	Hex. nut M 8 DIN 934-5 S	1)
)
13	121 492 01 80	Sealing ring	1)
)
14	-	Hex. -hd. screw M 8x55 DIN 931-8 G	3)for front ex-
)haust tube at
) exhaust mani-
)fold
15	-	Hex. nut M 8 AGGN 14441	3)

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
16	121 492 01 14	Exhaust jacket	1	
17	-	Button-hd. screw Z 3, 5x6, 5 DIN 7974	2) for jacket at) rear exhaust) tube
18	-	Lock washer B 3, 5 DIN 127	2)
19	-	Hex. -hd. screw M 8x20 DIN 933-8 G	1)) for tube clamp) with bracket
20	-	Lock washer B 8 DIN 127	1) at front ex-) haust tube
21	-	Hex. nut M 8 DIN 934-5 S	1)
22	180 492 04 16	Support	1	
22a	136 155 00 81	Rubber plate	4))
22b	136 155 00 82	Washer	4))
22c	121 492 00 53	Sleeve	2))
23	-	Hex. -hd. screw M 8x20 DIN 933-8 G	2)) for support) at bracket
23a	-	Hex. -hd. screw M 8x40 DIN 931-8 G	2) resp. fixing) plate
24	-	Washer 8, 4 DIN 125 without bevel	2))
24a	-	Washer A 8 DIN 9021	2))
25	-	Lock washer B 8 DIN 127	4))
26	-	Hex. nut M 8 DIN 934-5 S	2)
27	120 987 00 39	Rubber buffer (at body floor, bottom)	1	

Table 30

EXHAUST MUFFLER AND LINES

Group 49

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
28	120 490 00 40	Fixing angle (for exhaust suspension, center)	1	
29	-	Hex. -hd. screw M 8x20 DIN 933-8 G	1)
30	-	Lock washer B 8 DIN 127	1) for fixing angle) at frame) support
31	-	Washer 8, 4 DIN 125 without bevel	1)
32	120 492 04 82	Rubber damping plate	1	
33	-	Hex. -hd. screw M 8x45 DIN 931-8 G	1)
34	120 492 01 18	Clamping plate	2)
35	120 991 11 40	Spacer tube	1) for damping) plate at fixing
36	-	Washer 8, 4 DIN 125	1) angle
37	-	Lock washer B 8 DIN 127	1)
38	-	Hex. nut M 8 DIN 934-5 S	1)
39	-	Hex. -hd. screw M 8x50 DIN 931-8 G	1)
40	120 492 01 18	Clamping plate	2)
41	120 991 11 40	Spacer tube	1) for damping) plate at
42	120 492 00 83	Insulating washer	1) braket
43	-	Washer 8, 4 DIN 125 without bevel	1)
44	-	Lock washer B 8 DIN 127	1)

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
45	-	Hex. nut M 8 DIN 934-5 S (for damping plate at bracket)	1	
46	120 492 04 82	Rubber damping plate	2)
47	120 492 01 18	Clamping plate	8)
48	-	Hex. -hd. screw M 8x40 DIN 931-8 G	2) for exhaust suspension, rear
49	-	Lock washer B 8 DIN 127	2)
50	120 991 11 40	Spacer tube	4	
51	-	Washer 8, 4 DIN 125 without bevel	2	
52	-	Hex. -hd. screw M 8x50 DIN 931-8 G	2	
53	120 492 00 83	Insulating washer	2	
54	-	Lock washer B 8 DIN 127	2	
55	-	Hex. nut M 8 DIN 934-5 S	2	