

Table 32

ELECTRICAL EQUIPMENT AND INSTRUMENTS

Group 54

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
73	-	Fuse 12 Amp. 8 DIN 72581	12	
74	181 995 00 20	Fixing clamp	2)for main cable)set at rein-)forcement)bracket, left)and right
-	-	Lens-hd. screw AM 4x10 DIN 7985-4 S	2	
-	-	Lock washer B 4 DIN 127	2	
75	153 995 03 22	Fixing clamp	1)for cable to)stop light)
-	-	Lens-hd. screw S 4, 8x9, 5 DIN 7981	1	
76	000 988 16 78	Fixing clamp	2	
77	186 995 02 20	Fixing clamp	1)for main cable)set to reverse)drive lamp)at toe-board)
-	-	Lens-hd. screw Z 4, 8 x9, 5 DIN 7981	1	
78	121 995 00 22	Fixing clamp	2	
79	-	Hex. -hd. screw S 6, 3x16 DIN 7976	2)for main cable)set and brake)fluid line at)front frame)cross member
<u>INSTRUMENTS AND SWITCHES</u>				
80	120 540 00 44	Push-pull switch (for instrument lighting)	1	
81	120 545 00 72	Rosette	1	
82	000 997 20 40	Felt ring	1	
83	120 545 02 37	Button	1	

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
84	121 542 02 01	Combi-instrument	1	
85	001 542 43 06	Speedometer	1	
86	000 542 71 02	Oil pressure gauge	1	
87	001 542 44 05	Tele-thermometer	1	
88	000 542 44 03	Fuel gauge	1	
89	120 993 17 10	Tension spring (for combi-instrument mounting)	2	
90	120 542 02 80	Rubber moulding (for combi-instrument)	1	
91	183 545 00 19	Lamp socket	6	
92	-	Bulb H 12 V 2 W DIN 72601	6	
93	000 988 34 78	Fixing clamp (for housing, upper part with lower part at glove box casing)	2	
100	120 542 03 11	Clock, mechanic	1	
101	183 545 00 19	Lamp socket	1	
102	-	Bulb H 12 V 2 W DIN 72601	1	
109	000 545 08 31	Dimming resistor (for instrument lighting)	1	
110	000 545 17 14	Starter, push button switch	1	
111	120 545 03 72	Rosette	1	
113	000 545 10 24	Overtaking signal light switch (black)	1	

Table 32

ELECTRICAL EQUIPMENT AND INSTRUMENTS

Group 54

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
114	000 544 23 32	Flashlight transmitter 12 V	1	
116	-	Hex. -hd. screw M 6x10 DIN 933-8 G	2) for flashlight) transmitter) at partition
117	-	Lock washer B 6 DIN 127	2	
122	180 540 08 60	Oil pressure gauge line (for connection at flexible hose to oil filter)	1	
123	180 540 06 60	Oil pressure gauge line (for connection at oil pressure gauge combi-instrument)	1	
124	120 997 08 82	Hose fitting 15x17 Ø 20 mm long (for box nut to oil pressure gauge line)	1	state length when ordering
124a	186 997 05 81	Grommet (for oil pressure gauge line and capillary tube through bracket)	1	
125	-	Lock washer B 10 DIN 127	1) for oil pressure) gauge line at) dashboard,) wheel arch
126	-	Hex. nut M 10 DIN 936-5 S	1	
126a	000 988 55 78	Fixing clamp	5) strut
127	000 987 09 32	Rubber hose 25 mm long	2)
128	136 995 05 01	Fixing clamp	2) for oil pressure) gauge line) at cowl
129	-	Lens-hd. screw Z 3, 9x9, 5 DIN 7981	2)

10/024

Table 32

ELECTRICAL EQUIPMENT AND INSTRUMENTS

Group 54

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
130	121 540 00 59	Flexible hose (for oil pressure gauge line)	1	
131	000 545 22 09	Stop light switch	1	see also group 42
132	000 545 04 12	Foot dimmer switch	1	
133	136 545 01 58	Insulating plate	1)
134	-	Lens-hd. countersunk screw BM 4x30 DIN 7988-4 S	2) for foot dimmer switch at toe-board
135	000 990 25 91	Cage nut M 4	2)
137	120 542 03 07	Flexible drive shaft	1	
138	000 988 34 78	Fixing clamp (for tachometer shaft at toe-board, right)	2	
139	120 995 00 01	Fixing clamp	1)
140	-	Lens-hd. screw AM 5x10 DIN 7985	1) for tachometer drive shaft at bearing, regu-
141	120 990 31 40	Washer	1) lating shaft
142	-	Lock washer B 5 DIN 127	1)
143	000 154 55 06	Three-element voltageregulator	1	
144	000 545 16 34	Fuse	1	
145	000 154 02 50	Rubber bushing with tubular rivet	3	
146	-	Lock washer B 6 DIN 127 (for regulator at bracket, wheel arch)	3	

Table 32

ELECTRICAL EQUIPMENT AND INSTRUMENTS

Group 54

Fig. No.	No. of spare part	Denomination	Quantity	Remarks
147	-	Lens-hd. screw AM 6x20 DIN 7985-4 S (for regulator at bracket, wheel arch)	3	
148	000 997 07 81	Grommet, make Hellermann (for cable of voltage regulator, generator)	3	
150	000 542 44 20	Horn	1	
151	000 542 73 20	Horn	1	
152	-	Hex. -hd. screw M 10x28 DIN 931-8 G	1) for horn at bracket
153	-	Lock washer B 10 DIN 127	1	
154	-	Hex. nut M 10 DIN 934-5 S	1) for cable connection at horn
155	-	Lock washer B 4 DIN 127	2	
156	-	Cylindr. screw AM 4x8 DIN 84-4 S	2	
160	000 158 00 03	Ignition coil	1	
161	000 158 02 40	Fixing clamp	1	
162	-	Cylindr. screw AM 5x40 DIN 84-4 S	1	
163	-	Flat square nut M 5 DIN 562	1	
164	-	Hex. -hd. screw M 6x15 DIN 933-8 G	2) for ignition coil at bracket
165	-	Lock washer B 6 DIN 127	2	
166	-	Washer A 6 DIN 9021	2	
167	000 546 02 35	Rubber protective cap (for ignition coil)	2	

10/024